

## **LISTING OF THE CLAIMS**

Please amend the claims as shown below. An identifier indicating the status of each claim is provided.

1. (Currently Amended) A recording apparatus for recording video data to a recording medium, said recording apparatus comprising:

encoding means for encoding the video data in accordance with a compression-encoding process;

converting means for converting a data structure of the encoded video data received from said encoding means into a file structure that allows a moving picture to be synchronously reproduced by computer software without a need to use specially dedicated hardware; and

recording means for recording the data having said file structure to the recording medium;

wherein the file structure has a first data unit and a second data unit;

wherein a plurality of first data units and a plurality of second data units are matched with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation; and

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the

recording medium to prevent underflow and overflow of the recording medium. ~~when the data is intermittently read, and~~

~~wherein when the data is intermittently read, the data is successively written to the recording medium.~~

2. (Currently Amended) A recording apparatus for recording audio data to a recording medium, said recording apparatus comprising:

encoding means for encoding the audio data in accordance with a compression-encoding process;

converting means for converting a data structure of audio data or encoded audio data into a file structure that allows a moving picture to be synchronously reproduced by computer software without a need to use specially dedicated hardware; and

recording means for recording the data having said file structure to the recording medium;

wherein the file structure has a first data unit and a second data unit;

wherein a plurality of first data units and a plurality of second data units are matched with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the

recording medium to prevent underflow and overflow of the recording medium. ~~when the data is~~  
~~intermittently read, and~~

~~wherein when the data is intermittently read, the data is successively written to~~  
~~the recording medium.~~

3. (Currently Amended) A recording apparatus for recording video data and  
audio data to a recording medium, said recording apparatus comprising:

video encoding means for encoding the video data in accordance with a  
compression-encoding process in a combination of an inter-frame predictive encoding process  
and a motion compensating process that allow a plurality of frames to be structured as a group;

audio output means for outputting the audio data that has been either encoded or  
not encoded;

multiplexing means for converting a data structure of the encoded video data  
received from said encoding means and a data structure of the audio data received from said  
audio output means into respective file structures that allow a moving picture to be  
synchronously reproduced by computer software without a need to use specially dedicated  
hardware and for multiplexing the encoded video data and the audio data; and

recording means for recording the multiplexed data to the recording medium;

wherein the file structure has a first data unit and a second data unit;

wherein a plurality of first data units and a plurality of second data units are  
matched with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the recording medium to prevent underflow and overflow of the recording medium. ~~when the data is intermittently read, and~~

~~wherein when the data is intermittently read, the data is successively written to the recording medium.~~

4. (Previously Presented) The recording apparatus as set forth in claim 3, wherein in the multiplexed data, a duration of the encoded video data of the second data unit is almost equal to a duration of the audio data of the second data unit.

5. (Original) The recording apparatus as set forth in claim 3, wherein in the multiplexed data, the encoded video data of the second data unit and audio data of the second data unit are alternately arranged, and wherein a plurality of sets of the encoded video data of the second data unit and the audio data of the second data unit are matched with the successive record length.

6. (Previously Presented) The recording apparatus as set forth in claim 2, wherein the audio data is compression-encoded, in accordance with a Adaptive Transform Acoustic Coding method (ATRAC); and

wherein the first data unit of the file structure contains one or more sound units.

7. (Previously Presented) The recording apparatus as set forth in claim 1, wherein the file structure further includes a data portion that includes management information, and

wherein the data portion describes a number of the second data units contained in the successive record length.

8. (Previously Presented) The recording apparatus as set forth in claim 3, wherein the file structure further includes a data portion that includes management information, and

wherein the data portion describes a flag and a number of sets contained in the successive record length, the flag representing whether or not sets of encoded video data and audio data of the second data unit have been recorded in the data portion.

9. (Currently Amended) A recording method for recording video data to a recording media, said method comprising the steps of:

encoding the video data in accordance with a compression-encoding process;

converting a data structure of the encoded video data received at the encoding step into a file structure that allows a moving picture to be synchronously reproduced by computer software without a need to use specially dedicated hardware;

recording the data having said file structure to the recording medium ;

wherein the file structure has a first data unit and a second data unit; and

matching a plurality of first data units and a plurality of second data units with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the recording medium to prevent underflow and overflow of the recording medium. ~~when the data is intermittently read, and~~

~~wherein when the data is intermittently read, the data is successively written to the recording medium.~~

10. (Currently Amended) A recording method for recording audio data to a recording medium, said method comprising the steps of:

encoding the audio data in accordance with a compression-encoding process;

converting a data structure of audio data or encoded audio data into a file structure that allows a moving picture to be synchronously reproduced by computer software without a need to use specially dedicated hardware;

recording the data having said file structure to the recording medium;

wherein the file structure has a first data unit and a second data unit; and

matching a plurality of first data units and a plurality of second data units with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the recording medium to prevent underflow and overflow of the recording medium. when the data is intermittently read, and

~~wherein when the data is intermittently read, the data is successively written to the recording medium.~~

11. (Currently Amended) A recording method for recording video data and audio data to a recording medium, said method comprising the steps of:

encoding the video data in accordance with a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensating process that allow a plurality of frames to be structured as a group;

outputting audio data that has been compression-encoded or non-compressed  
either encoded or not encoded;

converting a data structure of the encoded video data received at the encoding  
step and a data structure of the audio data received at the outputting step into respective file  
structures that allow a moving picture to be synchronously reproduced by computer software  
without a need to use specially dedicated hardware;

multiplexing the encoded video data and the audio data;

recording the multiplexed data to the recording medium;

wherein the file structure has a first data unit and a second data unit; and

matching a plurality of first data units and a plurality of second data units with a  
successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the  
recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a  
transfer rate of the encoding means is lower than a transfer rate of the data recorded on the  
recording medium to prevent underflow and overflow of the recording medium. ~~when the data is~~  
~~intermittently read, and~~

~~wherein when the data is intermittently read, the data is successively written to~~  
~~the recording medium.~~



12. (Currently Amended) A computer readable medium on which a program for recording video data to a recording medium has been recorded, the program causing a computer to perform the steps of:

encoding the video data in accordance with a compression-encoding process;

converting a data structure of the encoded video data received at the encoding step into a file structure that allows a moving picture to be synchronously reproduced by computer software without a need to use specially dedicated hardware;

recording the data having said file structure to the recording medium;

wherein the file structure has a first data unit and a second data unit; and

matching a plurality of first data units and a plurality of second data units with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the recording medium to prevent underflow and overflow of the recording medium. ~~when the data is intermittently read, and~~

~~wherein when the data is intermittently read, the data is successively written to the recording medium.~~

13. (Currently Amended) A computer readable medium on which a program for recording audio data to a recording medium has been recorded, the program causing a computer to perform the steps of:

encoding the audio data in accordance with a compression-encoding process;

converting a data structure of audio data or encoded audio data into a file structure that allows a moving picture to be synchronously reproduced by computer software without a need to use specially dedicated hardware;

recording the data having said file structure to the recording medium; and

wherein the file structure has a first data unit and a second data unit;

matching a plurality of first data units and a plurality of second data units with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the recording medium to prevent underflow and overflow of the recording medium. ~~when the data is intermittently read, and~~

~~wherein when the data is intermittently read, the data is successively written to the recording medium.~~

14. (Currently Amended) A computer readable medium on which a program for recording video data and audio data to a recording medium has been recorded, the program causing a computer to perform the steps of:

encoding the video data in accordance with a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensating process that allow a plurality of frames to be structured as a group;

outputting audio data that has been either encoded or not encoded;

converting a data structure of the encoded video data received at the encoding step and a data structure of the audio data received at the outputting step into respective file structures that allow a moving picture to be synchronously reproduced by computer software without a need to use specially dedicated hardware; and

multiplexing the encoded video data and the audio data; and

recording the multiplexed data to the recording medium;

wherein the file structure has a first data unit and a second data unit;

matching a plurality of first data units and a plurality of second data units with a successive record length,

wherein each second data unit is adjacent to a corresponding first data unit,

wherein a successive record length is a length of data that is recorded to the recording medium without a jumping operation;

reading means for reading recorded data,

wherein the data is recorded successively and is intermittently read when a transfer rate of the encoding means is lower than a transfer rate of the data recorded on the recording medium when the data is intermittently read, and

~~wherein when the data is intermittently read, the data is successively written to the recording medium.~~ to prevent underflow and overflow of the recording medium.

15. (Previously Presented) The recording apparatus as set forth in claim 3, wherein the audio data is compression-encoded in accordance with a Adaptive Transform Acoustic Coding method (ATRAC); and

wherein the first data unit of the file structure contains one or more sound units.

16. (Previously Presented) The recording apparatus as set forth in claim 2, wherein the file structure further includes a data portion that includes management information, and

wherein the data portion describes a number of the second data units contained in the successive record length.